

PERFORMANCE DECLARATION

No. 2/2023 of 19.05.2023



1. Product type unique identification code: **Mass no. 3 (yellow) – Clinker cladding tile**
Colours: Desert rose (10), Desert rose tone (11), Amber sea (HF13), Sun city (HF14), Rainbow brick (HF15). **Applicable to all formats on our offer.**

2. Intended use(s):
For wall tiling (as finishing) in interiors and/or exteriors of building structures

3. Manufacturer:
**King Klinker S.A.
 26 – 400 Przysucha
 Skrzyńsko ul. Przemysłowa 56**

4. Authorised representative: **Not applicable**

5. Assessment and Verification of Constancy of Performance (AVCP) system(s) : **System 4**

6a. Harmonised standard:
EN 14411:2012 „Ceramic tiles – Definition, classification, characteristics, assessment and verification of constancy of performance and marking” Annex C, Natural

6b. Technical assessment body: **Not applicable**
 Notified body (-ies): **Not applicable**

Declared performance		
General characteristics	Performance properties	Harmonized technical specification
Reaction to fire	class A1	EN 14411:2012
Water absorption	below 6%	
Thermal shock resistance	Yes	
External use durability	Yes	
External use durability: resistance to frosting - defrosting	Yes	
Dimension - Length and width	±2,0% to maximum ±4mm	
- Thickness	±10%	
- Squareness	±1.0%	
- Surface flatness	±1.5%	
- Curvature of sides	±1.0%	
Surface quality	Minimum 95% tiles should not have visible defects causing deterioration of the appearance of considerable surface of tiles.	
Bonding strength / adhesion - cement adhesives - dispersion adhesives - reactive resin adhesive - masonry mortar	NPD NPD NPD NPD	

8. Relevant technical documentation or special technical documentation: **Not applicable**

Performance of the above specified product is in conformity with a set of performances declared. This performance declaration is issued in accordance with the Regulation (EU) no. 305/2011 at the exclusive liability of the above mentioned manufacturer.

Signed on behalf of the manufacturer by :

Sylwester Czubak

Head of Quality Control Department

KIEROWNIK
Działu Kontroli Jakości

mgr inż. Sylwester Czubak
/-/ illegible signature

(signature)

Skrzyńsko 19.05.2023

.....
Place and date of issue